



GoShare

Wireless Content Sharing System

T1

SPROLINK®

www.sprolink.com


Introduction

GoShare is the most simple way to connect or participate in a meeting. It allows the users to share content wireless. GoShare based on Linux system, compared with traditional Android system, it is with more stability and safety. With default 5GHz transmission, realize less delay signal transfer. Support Windows, Mac, Android OS, IOS platform and Universal HDMI Source wireless transmission. No cables, no set-up, no waiting to join in. Perfect for meeting room.

Wireless Content Sharing by APP




Wireless Content Sharing by GoShare




System Connection


PC Users




Pad / Phone Users




Application 1: Wireless Presentation



Application 2: AV Sync Switching



Application



Specifications

Operating System	Windows 7/8.1/10 32bit and 64bitMAC OS X 10.10/10.11/10.12 and upSmart Phone wireless mirrorSupport IOS airplay, iOS9/iOS10/iOS11, OS X 10.10/10.11/10.12 and aboveAndroid 5.0 and above
OutputAudio	1xHDMI, 1xAudio analog line out on mini jack socket (3.5mm), 44.1KHz /16bit
Other Port	1x RJ45, 2xUSB
Output Resolution	1920x1200@60Hz
Number of Sources Simultaneous on Screen	1
Number of Simultaneous Connections	16
Wireless Transmission Protocol	IEEE 802.11ac/802.11n
Wireless Transmission Speed	Up to 867Mbps
Wireless Transmission Distance	max. 30m (100 ft) between Goshare and Base Unit
Frequency band	2.4 GHz and5 GHz (Default)
Anti-theft protocol	WPA2-PSK
Transimission delay	Less than 100mS
Reverse Control	Support mouse reverse control, and 16 point touch reserve control
Power Supply	GoShare Base Unit: 12V/1A, Power Consumption 5W GoShare Button: 5V/500mA, Power Consumption1.5W
Power Consumption	40W
Temperature	Operating: -5°C to +40°C
Humidity	Storage: 0 to 90% relative humidity, non-condensing Operation: 0 to 85% relative humidity, non-condensing
Weight	1kg (Device)
Dimension	190mm x 120mm x 30mm (Device)

